

Garden



Residential, Urban lighting

"GARDEN" is an urban fixture indicated for being installed in urban environments such as open spaces, parks, pedestrian ways, etc...

It has a high flexibility of use: it can be wired for incandescent or electronic and fluorescent E27 lamp, for compact fluorescent lamps, for Metal Halide E27 lamp and for high pressure sodium E27 lamp with a ignitor incorporated.

The level of protection is IP65 for all the models. The whole fixture is conceived to endure vandal actions.



A5901NT



Code

Lamps
Watt

 A5901 NT•NO•GT•GO	1x100	IAA E27
A5902 NT•NO•GT•GO	1x26	FSQ G24d-3
EL5904 NT•NO•GT•GO	1x42	FSM Gx24q4
A5906 NT•NO•GT•GO	1x70	SE E27
A5909 NT•NO•GT•GO	1x70	MC E27

*Lamp with built-in ignitor.



pag. 360-361

Urban fixture.

Diffuser: in self-extinguishing V2 polycarbonate, unbreakable, UV resistant/opal or transparent.

Reflector in white self-extinguishing V2 polycarbonate, containing the wiring.



Top cover: in black or grey self-extinguishing V2 unbreakable polycarbonate.

Bracket of the diffuser in black or grey self-extinguishing V2 unbreakable polycarbonate for the fixing on pole Ø 60.

Wiring for incandescent or electronic fluorescent lamp, E27 socket. For com-

pact fluorescent lamp, for metal halide, E27 socket. For high pressure sodium, E27 socket (with ignitor in the lamp). Electrical components with ENEC approval and rigid cable H05V2-U section 0,75 mm² (CEI 20-20). Cable H05RN-F 2x1 mm² coming out from the bracket.

In accordance with standard: IEC 598, CEI EN 60598-1 (CEI 34-21).



Colours

Structure Diffuser

NT  

NO  

GT  

GO  

A5911



Code

A5911

Decorative lamellar optical group in anodized aluminium.

A5912



zona
2

Code

A5912

Against-lighting pollution screening in anodized aluminium.

A5912OP



Colours

OP ☐

BL ☒

zona
2

Code

A5912 OP•BL


Against-lighting pollution screening in anodized aluminium, with opal or blue strip.

Garden Accessories



Colours

NE 



Code

A582 NE


Fiberglass pole Ø 60 mm.



Colours

GR 

NE 



Code

A590 NE

Polycarbonate accessory for pole Ø 60 mm fixing and for wall fixing.



For wall mounting or multiple compositions on pole use A590.. accessory.





Garden

