

T-ELLE

Apparecchio per interni ad incasso a soffitto derivato dalla serie T-Uni, può essere equipaggiato con lampade fluorescenti T5 Seamless.


E' caratterizzato dall'assenza della cornice che gli consente la scomparsa totale nell'incasso, inoltre può creare file di luce continua senza interruzioni.

Ideale per uffici e negozi ma anche grandi spazi quali sale conferenze e riunioni.

Indoor recessed lighting fitting for ceiling use belonging to the T-Uni family of products, it can be equip with Seamless T5 fluorescent bulbs. It is characterized by the absence of the frame that allows the complete disappearing of the recessed part; it can also create continuous lines of light without any interruption. Ideal to enlighten offices and shops but also big areas such as conference rooms and meeting rooms.

T-Elle est un encastré dérivé de la série T-Uni pour lampes fluorescentes T5 Seamless. Il est caractérisé par son absence de cadre qui permet un encastrement invisible au plafond. Il peut être également utilisé en ligne continue sans délimitation visible entre les appareils.

Idéal pour l'éclairage des bureaux, magasins et des grands espaces comme les salles de conférences ou de réunions.



Struttura in alluminio estruso, diffusore in policarbonato satinato, telaio per incasso in acciaio zincato.
Disponibile in due colori e in doppia lunghezza.
Driver incluso e telaio escluso; monta lampade fluorescenti T5 Seamless.

The body is in extruded aluminium, the diffuser is in satin-finish polycarbonate and the frame for the recessing in anodized steel. Available in two colors and two lengths.
Driver included and frame excluded. It hosts fluorescent Seamless T5 bulbs.

Structure en aluminium extrudé, diffuseur en polycarbonate opale, cadre d'encastrement en acier anodisé.
Disponibile en deux couleurs et deux dimensions.
Driver inclus, cadre sur demande. Il peut accueillir des lampes fluorescents T5 Seamless.


CE IP43

02
05



TNE.39M T5 SEAMLESS - G5



1x39W



Versione da 884 mm per lampada Seamless; reattore elettronico incluso.
Version 884 mm for Seamless lamp; electronic ballast included.
Version de 884 mm pour lampe Seamless; ballast électronique inclus.



Dist. (m)	Lux Med
1m	280,4
2m	70,1
3m	31,2
4m	17,5
5m	11,2


CE IP43

02
05



TNE.39MX2 T5 SEAMLESS - G5



2x39W



Versione da 1768 mm a doppia lunghezza, per lampada Seamless; reattore elettronico incluso.
Version 1768 mm for Seamless lamp; electronic ballast included.
Version de 1768 mm pour lampe Seamless; ballast électronique inclus.



Dist. (m)	Lux Med
1m	280,4
2m	70,1
3m	31,2
4m	17,5
5m	11,2

Attacchi, testate e giunti forniti su richiesta come accessori.
End caps and joints have to be ordered separately as accessories.
Les fixations, les embouts et les joints doivent être commandés séparément comme accessoires.


CE IP43

02
05



TNE.54M T5 SEAMLESS - G5



1x54W



Versione da 1184 mm per lampada Seamless; reattore elettronico incluso.
Version 1184 mm for Seamless lamp; electronic ballast included.
Version de 1184 mm pour lampe Seamless; ballast électronique inclus.



Dist. (m)	Lux Med
1m	452,2
2m	113,1
3m	50,2
4m	28,3
5m	18,1


CE IP43

02
05



TNE.54MX2 T5 SEAMLESS - G5



2x54W





Versione da 2368 mm a doppia lunghezza, per lampada Seamless; reattore elettronico incluso.
Version 2368 mm for Seamless lamp; electronic ballast included.
Version de 2368 mm pour lampe Seamless; ballast électronique inclus.



Dist. (m)	Lux Med
1m	452,2
2m	113,1
3m	50,2
4m	28,3
5m	18,1

Attacchi, testate e giunti forniti su richiesta come accessori.
End caps and joints have to be ordered separately as accessories.
Fixations, les embouts et les joints doivent être commandés séparément comme accessoires.




Accessori / Accessories / Accessoires




TNE.CA

Cavo in acciaio anticaduta per installazione a soffitto.
Steel cable for ceiling installation.
Câble d'acier pour installation plafond.




TNE.CD

Giunto lineare.
Linear joint.
Guide d'alignement.



TNE.MF

Staffa fissaggio parete e soffitto.
Fixing bracket for wall and ceiling use.
Fixation murale et plafond.



TNE.TE

Testata di chiusura.
End cap.
Embout.

○ 02
● 05

