



Marilyn



"Marilyn" system

Stand alone or system light fitting for two T5 lamps and for halogen and metal halide R111 lamps. It can be combined with spotlights to obtain different solutions. Flat shape.

Materials

Body: anodized extruded aluminium.
Optic: specular aluminium reflector; opal PMMA diffuser.

Wiring

Standard: electronic ballast 220-240V 50/60Hz.

Other possibilities for T5: dimmable ballast and/or emergency kit.



Marilyn



direct/indirect light




Code	Lamps Watt	L mm
E010M2054AL	2x28/54	1320
E010M2080AL	2x35/49/80	1620



Two lamps light fitting in extruded aluminium. Direct/indirect light with opal diffuser. Suspended mounting.

Available on request painted in white colour.
End caps, wire suspensions and supply cable to be order separately (pag. 38).



Marilyn



Code	Lamps Watt	L mm
E010D2054AO	2x28/54	1320
E010D2049AO	2x35/49	1620




Code	Lamps Watt	L mm
E010M2054AO	2x28/54	1320
E010M2049AO	2x35/49	1620

direct/indirect light



Two lamps light fitting in extruded aluminium. Direct or direct/indirect light with opal diffuser. Suspended mounting.


Available on request painted in white colour.
End caps, wire suspensions and supply cable to be order separately (pag. 38).








Code	Lamps Watt	L mm	
E010H1100AK	1x100	240	QR111 G53




Code	Lamps Watt	L mm	
E010C1035AK	1x35	340	CDMR111
E010C1070AK	1x70	340	GX8.5




Light fitting in extruded aluminium for adjustable halogen QR111 or metal halide CDMR111 lamps. Suspended mounting.


Available on request painted in white colour.
End caps, wire suspensions and supply cable to be order separately (pag. 38).




System accessories



Code	L mm
A010K1320AK	1320
A010K1620AK	1620
Profile.	



Code
A010K0007AK
End cap 1 pc.




Code	L mm
A010K0006AK	2000
Suspension: steel cable 1 pc.	



Code	L	Cable alimen.	Cable suspension for single and double-lamp
A1041	1200	3x1,5	
A1041 2A	1200	4x1,5	
A1041/M3	3000	3x1,5	
A1041/M3 2A	3000	4x1,5	


Complete set of accessories for power supply: 1 bracket; 1 transparent power cord with clamp; 1 white ABS ceiling wire cover rosette (grey GR on request).



Code

A010K0002AK



Accessory for linear connection, 2 pcs.



Code

A010K0003AK


"L" joint, provided with accessories for connection.



Code

A010K0004AK


"T" joint, provided with accessories for connection.



Code

A010K0005AK

"X" joint, provided with accessories for connection.



A1041

